



# HearthStone®

*Quality Home Heating Products*

## Features and Benefits



**HearthStone Quality Home Heating Products, Inc.**

317 Stafford Avenue

Morrisville, VT 05661

Toll-free Phone: 1-800-827-8683

Toll-free Fax: 1-888-347-8663

[www.hearthstonestoves.com](http://www.hearthstonestoves.com)



# Mansfield

## Model #8011

- Large enough to heat most homes.
  - Maximum 80,000 BTUs per hour.
- Fire can remain unattended for long periods of time. Burn time up to 10 hours.
- Soapstone absorbs the excess heat and produces sustained, consistent, even heating extending the usable *HeatLife*™ up to 14 hours.
- Self-cleaning Infrared Reflective ceramic glass remains clean for maximum fire enjoyment.
- Consistent performing non-catalytic design reduces emissions, is gentle on the environment and extracts more heat from less wood.
- Ashes clean up quickly with a full-sized ash pan.
- Large firebox allows wood to be loaded side-to-side or front-to-back.
- Mobile home and alcove approved.
- Optional rear heat shield allows reduced rear clearance down to 9” from a combustible wall.
- HearthStone’s limited *Lifetime Warranty* assures customer satisfaction for years to come.

### Specifications

Firebox Capacity:	3.2 cubic feet	
Maximum Log Length:	21”	
Flue Exit & Diameter	Top exit 6”diameter	
Ash Pan	Yes	
Optional Blower	Yes	
Mobile Home Certified	Yes	
Alcove Certified	Yes	
<b>Dimensions</b>		
Height	27”	
Width	27”	
Depth	24”	
Actual Weight/Shipping Weight	550/577 pounds	
<b>Performance</b>		
Emissions:	2.84 grams per hour	
Heat Output:	Up to 80,000 BTUs	
Efficiency:	73%	
Heating Capacity:	Up to 2,500 Sq. Ft	
Burn Time/HeatLife™:	Up to 10 hours/Up to 14 hours	
<b>Clearances</b>	<b>Single Wall Pipe</b>	<b>Double Wall w/Heat Shield</b>
Side of stove to side wall	18”	18”
Back of stove to back wall	19”	8”
Corner of stove to side wall	14”	14”
<b>Options</b>		
Matte Black, Blue/Black Enamel, Black Enamel, Brown Enamel		
Outside Air Adapter #90-57004	Improves performance in “airtight” homes.	
Fan Kit #90-57000	150 CFM w/Rheostat	
Rear Heat Shield #90-57200	Reduces rear clearances, allows use of fan kit.	

317 Stafford Ave. Morrisville, VT 05661

(800) 827-8683

[Http://www.hearthstonestoves.com](http://www.hearthstonestoves.com)

Fax:(888) 347-8663



# Bennington

## Model #8350

- Large enough to heat many homes.
  - Maximum 70,000 BTUs per hour.
- Fire can remain unattended for long periods of time.
  - Burn time up to 10 hours. *HeatLife*<sup>™</sup> up to 12 hours.
- Efficient convection heat. Heat exchanger dramatically increases heat transfer.
- Self-cleaning Infrared Reflective ceramic glass remains clean for maximum fire enjoyment.
- Side loading door makes it easy to load.
- Consistent performing non-catalytic design reduces emissions, is gentle on the environment and extracts more heat from less wood.
- Ashes clean up quickly with a full-sized ash pan.
- Flexible installations with a 45°-flue collar.
- Mobile home and alcove approved.
- Standard rear heat shield allows reduced rear clearance down to 16" from a combustible wall.
- HearthStone's limited *Lifetime Warranty* assures customer satisfaction for years to come.

### Specifications

Firebox Capacity:	2.5 cubic feet
Maximum Log Length:	23"
Flue Exit & Diameter	45° exit 6" diameter
Ash Pan	Yes
Optional Blower	Yes
Mobile Home Certified	Yes
Alcove Certified	Yes

### Dimensions

Height	29"
Width	30"
Depth	19"
Actual Weight/Shipping Weight	470/515 pounds

### Performance

Emissions:	3.5 grams per hour
Heat Output:	Up to 70,000 BTUs
Efficiency:	76%
Heating Capacity:	Up to 2,200 Sq. Ft
Burn Time/ <i>HeatLife</i> <sup>™</sup> :	Up to 10 hours/Up to 12 hours

Clearances	Single Wall Pipe	Double Wall w/Heat Shield
Side of stove to side wall	12" L 18" R	12" L 18" R
Back of stove to back wall	18"	16"
Corner of stove to side wall	13"	12"

### Options

Matte Black, Blue/Black Enamel, Black Enamel, Brown Enamel	
Outside Air Adapter #93-53500	Improves performance in "airtight" homes.
Fan Kit #93-57500	160 CFM w/Rheostat
Side Door Lock Kit #93-70500	Reduces right side clearances

317 Stafford Ave. Morrisville, VT 05661

(800) 827-8683

[Http://www.hearthstonestoves.com](http://www.hearthstonestoves.com)

Fax:(888) 347-8663



# Phoenix

## Model #8612

- Large enough to heat large areas in the home.
- Maximum 60,000 BTUs per hour.
- Fire can remain unattended for long periods of time. Burn time up to 8 hours.
- Soapstone absorbs the excess heat and produces sustained, consistent, even heating extending the usable *HeatLife*<sup>™</sup> up to 12 hours. Cast iron front and back allows the stove to heat up quickly.
- Self-cleaning Infrared Reflective ceramic glass remains clean for maximum fire enjoyment.
- Consistent performing non-catalytic design reduces emissions, is gentle on the environment and extracts more heat from less wood.
- Ashes clean up quickly with a full-sized ash pan.
- Flexible installations with a 45°-flue collar.
- Mobile home and alcove approved.
- Optional rear heat shield allows reduced rear clearance down to 13" from a combustible wall
- HearthStone's limited *Lifetime Warranty* assures customer satisfaction for years to come

### Specifications

Firebox Capacity:	2.2 cubic feet	
Maximum Log Length:	21"	
Flue Exit & Diameter	45° exit 6" diameter	
Ash Pan	Yes	
Optional Blower	No	
Mobile Home Certified	Yes	
Alcove Certified	Yes	
<b>Dimensions</b>		
Height	27½"	
Width	26" Legs 28" Top	
Depth	18½" Legs 19½" Top	
Actual Weight/Shipping Weight	425/473 pounds	
<b>Performance</b>		
Emissions:	2.4 grams per hour	
Heat Output:	Up to 60,000 BTUs	
Efficiency:	73%	
Heating Capacity:	Up to 2,000 Sq. Ft	
Burn Time/HeatLife <sup>™</sup> :	Up to 8 hours/Up to 12 hours	
<b>Clearances</b>	<b>Single Wall Pipe</b>	<b>Double Wall w/Heat Shield</b>
Side of stove to side wall	20"	16"
Back of stove to back wall	25"	13"
Corner of stove to side wall	18"	12"
<b>Options</b>		
Matte Black, Blue/Black Enamel, Black Enamel, Brown Enamel, Seafoam Enamel		
Outside Air Adapter #96-56322	Improves performance in "airtight" homes.	
Rear Heat Shield #96-58602	Reduces rear clearances.	

317 Stafford Ave. Morrisville, VT 05661

(800) 827-8683

[Http://www.hearthstonestoves.com](http://www.hearthstonestoves.com)

Fax:(888) 347-8663

# Heritage

## Model #8021

- Large enough to heat large areas in the home.
  - Maximum 55,000 BTUs per hour.
- Side loading door makes it easy to load.
- Fire can remain unattended for long periods of time. Burn time up to 8 hours.
- Soapstone absorbs the excess heat and produces sustained, consistent, even heating extending the usable *HeatLife™* up to 12 hours.
- Self-cleaning Infrared Reflective ceramic glass remains clean for maximum fire enjoyment.
- Consistent performing non-catalytic design reduces emissions, is gentle on the environment and extracts more heat from less wood.
- Ashes clean up quickly with a full-sized ash pan. Easy-close grates allow you to empty the ash pan while the fire is still burning.
- Flexible installations with a top or rear exit 6" flue collar.
- Mobile home and alcove approved.
- Optional rear heat shield allows reduced rear clearance down to 7" from a combustible wall.
- HearthStone's limited *Lifetime Warranty* assures customer satisfaction for years to come.

### Specifications

Firebox Capacity:	2.3 cubic feet	
Maximum Log Length:	21"	
Flue Exit & Diameter	Reversible Top or Rear exit 6" diameter	
Ash Pan	Yes	
Optional Blower	Yes	
Mobile Home Certified	Yes	
Alcove Certified	Yes	
<b>Dimensions</b>		
Height	27"	
Width	27½" Top 29" Legs	
Depth	19" Top 20½" Legs	
Actual Weight/Shipping Weight	475/556 Pounds	
<b>Performance</b>		
Emissions:	2.7 grams per hour	
Heat Output:	Up to 55,000 BTUs	
Efficiency:	73%	
Heating Capacity:	Up to 1,900 Sq. Ft	
Burn Time/ <i>HeatLife™</i> :	Up to 8 hours/Up to 12 hours	
<b>Clearances</b>	<b>Single Wall Pipe</b>	<b>Double Wall w/Heat Shield</b>
Side of stove to side wall	17"	16" L 15" R
Back of stove to back wall	16"	7"
Corner of stove to side wall	12"	11"
<b>Options</b>		
Matte Black, Blue/Black Enamel, Black Enamel, Brown Enamel, Seafoam Enamel		
Outside Air Adapter #90-53210	Improves performance in "airtight" homes.	
Fan Kit #93-57210	135 CFM w/Rheostat	
Rear Heat Shield #90-68210	Reduces rear clearances, allows use of fan kit.	

# Homestead

## Model #8570

- Your choice of hearth-mount or freestanding.
- Large enough to heat large areas in the home.
  - Maximum 50,000 BTUs per hour.
- Fire can remain unattended for long periods of time. Burn time up to 8 hours.
- Soapstone absorbs the excess heat and produces sustained, consistent, even heating extending the usable *HeatLife*<sup>™</sup> up to 12 hours. Cast iron back allows the stove to heat up quickly.
- Self-cleaning Infrared Reflective ceramic glass remains clean for maximum fire enjoyment.
- Consistent performing non-catalytic design reduces emissions, is gentle on the environment and extracts more heat from less wood.
- Ashes clean up quickly with a full-sized ash pan.
- Flexible installations with a top or rear exit 6" oval flue collar.
- Mobile home and alcove approved.
- Optional rear heat shield allows reduced rear clearance down to 7" from a combustible wall.
- HearthStone's limited *Lifetime Warranty* assures customer satisfaction for years to come.

### Specifications

Firebox Capacity:	2.0 cubic feet
Maximum Log Length:	21"
Flue Exit & Diameter	Top or Rear exit 6" diameter
Ash Pan	Yes
Optional Blower	Yes (free standing only, requires use of rear heat shield)
Mobile Home Certified	Yes
Alcove Certified	Yes

### Dimensions

Height	25½" w/4" Legs 27½" w/6" Legs
Width	27"
Depth	17"
Actual Weight/Shipping Weight	380/440 pounds

### Performance

Emissions:	1.9 grams per hour
Heat Output:	Up to 50,000 BTUs
Efficiency:	74%
Heating Capacity:	Up to 1,800 Sq. Ft
Burn Time/ <i>HeatLife</i> <sup>™</sup> :	Up to 8 hours/Up to 12 Hours

Clearances	Single Wall Pipe	Double Wall w/Heat Shield
Side of stove to side wall	23"	14" Hearth 16" Free
Back of stove to back wall	26"	7"
Corner of stove to side wall	18"	12"

### Options

Matte Black, Blue/Black Enamel, Black Enamel, Brown Enamel, Seafoam Enamel	
Outside Air Adapter #95-53700	Improves performance in "airtight" homes.
Fan Kit #90-57000	125 CFM w/Rheostat
Rear Heat Shield #95-68700	Reduces rear clearances, allows use of fan kit.
Black Surround Kit #95-59710	32"H x 43½"W For hearth installations



# Shelburne

## Model #8370

- Large enough to heat large areas in the home.
  - Maximum 50,000 BTUs per hour.
- Fire can remain unattended for long periods of time. Burn time up to 8 hours.
- Classic good looks with embossed cast iron.
- Self-cleaning Infrared Reflective ceramic glass remains clean for maximum fire enjoyment.
- Consistent performing non-catalytic design reduces emissions, is gentle on the environment and extracts more heat from less wood.
- Ashes clean up quickly with a full-sized ash pan.
- Flexible installations with a Top or Rear exit flue collar.
- Mobile home and alcove approved.
- Optional rear heat shield allows reduced rear clearance down to 12” from a combustible wall.
- HearthStone’s limited *Lifetime Warranty* assures customer satisfaction for years to come.

### Specifications

Firebox Capacity:	2.0 cubic feet	
Maximum Log Length:	20”	
Flue Exit & Diameter	Top or Rear exit 6” diameter	
Ash Pan	Yes	
Optional Blower	Yes	
Mobile Home Certified	Yes	
Alcove Certified	Yes	
<b>Dimensions</b>		
Height	29”	
Width	26”	
Depth	19”	
Actual Weight/Shipping Weight	400/421 pounds	
<b>Performance</b>		
Emissions:	2.1 grams per hour	
Heat Output:	Up to 50,000 BTUs	
Efficiency:	73%	
Heating Capacity:	Up to 1,800 Sq. Ft	
Burn Time:	Up to 8 hours	
<b>Clearances</b>	<b>Single Wall Pipe</b>	<b>Double Wall w/Heat Shield</b>
Side of stove to side wall	18”	21”
Back of stove to back wall	18”	12”
Corner of stove to side wall	13”	6”
<b>Options</b>		
Matte Black, Blue/Black Enamel, Black Enamel, Brown Enamel		
Outside Air Adapter #93-53700	Improves performance in “airtight” homes.	
Rear Heat Shield #93-68700	Reduces rear clearances, allows use of fan kit.	
Fan Kit #90-57000	125 CFM w/Rheostat	

317 Stafford Ave. Morrisville, VT 05661

(800) 827-8683

[Http://www.hearthstonestoves.com](http://www.hearthstonestoves.com)

Fax:(888) 347-8663

# Tribute

## Model #8040

- Large enough to heat small home areas or room additions.
  - Maximum 36,000 BTUs per hour.
- Small enough to prevent overheating small areas.
- Fire can remain unattended for long periods of time. Burn time up to 7 hours.
- Soapstone absorbs the excess heat and produces sustained, consistent, even heating extending the usable *HeatLife*<sup>™</sup> up to 9 hours.
- Consistent performing non-catalytic design reduces emissions, is gentle on the environment and extracts more heat from less wood.
- Mobile home and alcove approved.
- Optional window screen for open door fire viewing.
- Optional rear heat shield allows reduced rear clearance down to 13" from a combustible wall.
- HearthStone's limited *Lifetime Warranty* assures customer satisfaction for years to come.

### Specifications

Firebox Capacity:	1.2 cubic feet
Maximum Log Length:	16"
Flue Exit & Diameter	Top exit 6" diameter
Ash Pan	No
Optional Blower	Yes
Mobile Home Certified	Yes
Alcove Certified	Yes

### Dimensions

Height	25 <sup>3</sup> / <sub>4</sub> "
Width	22" Top 24" Legs
Depth	16" Top 18" Legs
Actual Weight/Shipping Weight	318/358 pounds

### Performance

Emissions:	2.97 grams per hour
Heat Output:	Up to 36,000 BTUs
Efficiency:	73%
Heating Capacity:	Up to 1,300 Sq. Ft
Burn Time:	Up to 7 hours
<i>HeatLife</i> <sup>™</sup>	Up to 9 hours

Clearances	Single Wall Pipe	Double Wall w/Heat Shield
Side of stove to side wall	16 <sup>1</sup> / <sub>2</sub> "	16 <sup>1</sup> / <sub>2</sub> "
Back of stove to back wall	19"	8"
Corner of stove to side wall	17"	7"

### Options

Matte Black, Blue/Black Enamel, Black Enamel, Brown Enamel, Seafoam Enamel	
Outside Air Adapter #90-53400	Improves performance in "airtight" homes.
Rear Heat Shield #90-68400	Reduces rear clearances, allows use of fan kit.
Fan Kit #90-57210	125 CFM w/Rheostat
Screen #90-69400	Open door fire viewing



# New Craftsbury

## Model #8390

- Large enough to heat small home areas or room additions.
  - Maximum 40,000 BTUs per hour.
- Small enough to prevent overheating small areas.
- Priced so everyone can afford two!
- Fire can remain unattended for long periods of time. Burn time up to 7 hours.
- Consistent performing non-catalytic design reduces emissions, is gentle on the environment and extracts more heat from less wood.
- Top or rear vent for easy installation.
- Cast iron top is removable for easy clean-up after having chimney swept.
- Mobile home and alcove approved.
- Optional window screen for open door fire viewing.
- Optional rear heat shield allows reduced rear clearance down to 12" from a combustible wall.
- HearthStone's limited *Lifetime Warranty* assures customer satisfaction for years to come.

Firebox Capacity:	1.5 cubic feet	
Maximum Log Length:	17"	
Flue Exit & Diameter	Top or rear exit 6" diameter	
Ash Pan	Yes	
Optional Blower	Yes	
Mobile Home Certified	Yes	
Alcove Certified	Yes	
<b>Dimensions</b>		
Height	26-1/8"	
Width	22-3/8"	
Depth	17-3/8"	
Actual Weight/Shipping Weight	313/338 pounds	
<b>Performance</b>		
Emissions:	3.0 grams per hour	
Heat Output:	Up to 40,000 BTUs	
Efficiency:	73%	
Heating Capacity:	Up to 1,300 Sq. Ft	
Burn Time:	Up to 7 hours	
<b>Clearances</b>	<b>Single Wall Pipe</b>	<b>Double Wall w/Heat Shield</b>
Side of stove to side wall	14"	14"
Back of stove to back wall	24"	12"
Corner of stove to side wall	17"	9"
<b>Options</b>		
Matte Black, Blue/Black Enamel, Black Enamel, Brown Enamel		
Outside Air Adapter #90-53210	Improves performance in "airtight" homes.	
Rear Heat Shield #90-68900	Reduces rear clearances, allows use of fan kit.	
Fan Kit #90-57210	125 CFM w/Rheostat	
Screen #90-69400	Open door fire viewing	

317 Stafford Ave. Morrisville, VT 05661

(800) 827-8683

[Http://www.hearthstonestoves.com](http://www.hearthstonestoves.com)

Fax:(888) 347-8663



# Clydesdale

## Model #8490

- Large enough to heat large areas in the home.
  - Maximum 60,000 BTUs per hour.
- Fire can remain unattended for long periods of time. Burn time up to 10 hours.
- Soapstone lining absorbs the excess heat and produces sustained, consistent, even heating extending the usable *HeatLife*™ up to 12 hours.
- Consistent performing non-catalytic design reduces emissions, is gentle on the environment and extracts more heat from less wood.
- Easy to install with removable baffle and adjustable flue collar.
- Convenient to load with reversible “refrigerator” style door.
- Leveling legs are adjustable from inside the firebox.
- Optional window screen for open door fire viewing.
- HearthStone’s limited *Lifetime Warranty* assures customer satisfaction for years to come.

### Specifications

Firebox Capacity:	2.42 cubic feet
Maximum Log Length:	22”
Flue Diameter	6” diameter
Ash Pan	No
Optional Blower	Yes
Minimum Fireplace Opening	13¼” D, 22½” H, 25½” W (back) 31¼” W (front)
Surround Size	30” H, 47” W
Surround Extension Size	36” H, 59” W
<b>Dimensions</b>	
Height	22½”
Width	31” Front
Depth	24” from Ash Lip
Actual Weight/Shipping Weight	490/534 pounds
<b>Performance</b>	
Emissions:	3.23 grams per hour
Heat Output:	Up to 60,000 BTUs
Efficiency:	73%
Heating Capacity:	Up to 1,800 Sq. Ft
Burn Time/HeatLife™:	Up to 10 hours/Up to 12 hours
<b>Clearances</b>	
Side of stove to side wall	12”
Top of stove to bottom of mantle or trim	24”
Top of stove to bottom of mantle w/mantle shield	11”
<b>Options</b>	
Matte Black, Blue/Black Enamel	
Mantle Shield #94-79700	Reduces mantle clearances
Surround Extension #94-5990010	Overall Size 36”H x 59”W
Screen #94-69900	Allows for open door fire viewing.
Fan Kit #94-57900	220 CFM Twin Blower w/rheostat
Surround Caps 94-59705xx	Gives surround finished look even on raised hearths

317 Stafford Ave. Morrisville, VT 05661

(800) 827-8683

[Http://www.hearthstonestoves.com](http://www.hearthstonestoves.com)

Fax:(888) 347-8663



# Morgan

## Model #8470

- Large enough to heat large areas in the home.
  - Maximum 40,000 BTUs per hour.
- Fire can remain unattended for long periods of time. Burn time up to 8 hours.
- Soapstone lining absorbs the excess heat and produces sustained, consistent, even heating extending the usable *HeatLife*™ up to 10 hours.
- Consistent performing non-catalytic design reduces emissions, is gentle on the environment and extracts more heat from less wood.
- Easy to install with removable baffle and adjustable flue collar.
- Convenient to load with reversible “refrigerator” style door.
- Leveling legs are adjustable from inside the firebox.
- Optional window screen for open door fire viewing.
- HearthStone’s limited *Lifetime Warranty* assures customer satisfaction for years to come.

### Specifications

Firebox Capacity:	1.7 cubic feet
Maximum Log Length:	18”
Flue Diameter	6” diameter
Ash Pan	No
Optional Blower	Yes
Minimum Fireplace Opening	15” D, 21” H, 21½” W (back) 25” W (front)
Surround Size	29¼” H, 40¼” W
Surround Extension Size	35” H x 52¼” W
<b>Dimensions</b>	
Height	20¾”
Width	25” Front
Depth	23¾” Front Ash Lip
Actual Weight/Shipping Weight	349/416 pounds
<b>Performance</b>	
Emissions:	4.3 grams per hour
Heat Output:	Up to 40,000 BTUs
Efficiency:	71%
Heating Capacity:	Up to 1,200 Sq. Ft
Burn Time/HeatLife™:	Up to 8 hours/Up to 10 hours
<b>Clearances</b>	
Side of stove to side wall	13”
Top of stove to bottom of mantle or trim	34”
Top of stove to bottom of mantle w/mantle shield	22”
<b>Options</b>	
Matte Black, Blue/Black Enamel	
Mantle Shield #94-79700	Reduces mantle clearances
Surround Extension #94-5970010	Overall Size 35”H x 52¼”W
Screen #94-69700	Allows for open door fire viewing.
Fan Kit #94-57700	150 CFM Blower w/rheostat
Surround Caps 94-59705xx	Gives surround finished look even on raised hearths

317 Stafford Ave. Morrisville, VT 05661

(800) 827-8683

[Http://www.hearthstonestoves.com](http://www.hearthstonestoves.com)

Fax:(888) 347-8663



# Sterling-*Ht* Direct Vent

## Model #8532

- Large enough to heat small homes or room additions.
  - Maximum 38,000 BTUs per hour vertically / 33,000 BTUs per hour horizontally.
- TEK burner and log set for incredibly realistic flame picture.
- May be vented horizontally or vertically for flexible installation options.
- Variable flame height control with up to 70% pressure reduction for fire viewing pleasure when less heat is desired.
- Steel firebox, cast iron frame and stone panels give a range of deep colors and rich textures to suit all decors and styles.
- Cast iron double heat exchanger system delivers more heat to the room.
- Battery operated “One-touch” piezo ignition system for easy lighting.
- Millivolt operation does not need electricity in case of power outage.
- Comes with three-way on/off/thermostat switch and a wall-mounted thermostat with 40’ of wire.
- HearthStone’s limited *Lifetime Warranty* assures customer satisfaction for years to come.

### Specifications

Variable flame control up to 70% reduction	Yes
Flue Exit & Diameter	5x8” Rear Exit 4x6 5/8” Top Exit
Wall thermostat included at No Charge	Yes
Optional Blower	Yes
Cast Iron Double Heat Exchanger	Yes
LP Conversion Kit included at No Charge	Yes
<b>Dimensions</b>	
Height	27”
Width	29.5”
Depth	20.75”
Actual Weight/Shipping Weight	275/325 pounds
<b>Performance</b>	
Heating Capacity:	Up to 1,800 Sq. Ft
Maximum Input:	38,000 BTUs Vertically 32,00 Horizontally
Steady State Efficiency/AFUE:	83%/74%
<b>Clearances</b>	
Side of stove to side wall	4”
Back of stove to back wall	2”
Corner of stove to side wall	3”
Floor to center of flue	21¼”
<b>Options</b>	
Matte Black, Blue/Black Enamel, Brown Enamel, Seafoam Enamel	
On/Off Remote Control #90-56912	
Thermostatic Remote Control #90-56914	
Programmable Thermostat #90-56910	
Fan Kit #95-57320 160 CFM w/Rheostat	
Top Exit Starter Collar #95-60320	
5x8” Rear Exit Starter Collar #95-61223HA	
Window Screen #95-69320	
Matching Vent Pipe Paint	

317 Stafford Ave. Morrisville, VT 05661

(800) 827-8683

[Http://www.hearthstonestoves.com](http://www.hearthstonestoves.com)

Fax:(888) 347-8663



# Sterling B-Vent

## Model #8521

- Large enough to heat small homes or room additions.
  - Maximum 40,000 BTUs per hour.
- Top or rear vent for flexible installation options.
- Variable flame height control with 50% pressure reduction for fire viewing pleasure when less heat is desired.
- Steel firebox, cast iron frame and stone panels give a range of deep colors and rich textures to suit all decors and styles.
- Cast iron double heat exchanger system delivers more heat to the room.
- Millivolt operation does not need electricity in case of power outage.
- Comes with three-way on/off/thermostat switch and a wall-mounted thermostat with 40' of wire.
- HearthStone's limited *Lifetime Warranty* assures customer satisfaction for years to come.

### Specifications

Variable flame control with 50% reduction	Yes
Flue Exit & Diameter	Top or rear 4" Be-Vent
Wall thermostat included at No Charge	Yes
Optional Blower	Yes
Cast Iron Double Heat Exchanger	Yes
LP Conversion Kit included at No Charge	Yes
<b>Dimensions</b>	
Height	27"
Width	27"
Depth	24"
Actual Weight/Shipping Weight	230/287 pounds
<b>Performance</b>	
Heating Capacity:	Up to 1,800 Sq. Ft
Input:	20,000 – 40,000 BTUs
Steady State Efficiency:	84%
AFUE	74%
<b>Clearances</b>	
Side of stove to side wall	4"
Back of stove to back wall	2"
Corner of stove to side wall	2"
<b>Options</b>	
Matte Black w/Grey Soapstone or Green Marble, Brown Enamel w/Brown Granite	
On/Off Remote Control #90-56912	
Thermostatic Remote Control #90-56914	
Programmable Thermostat #90-56910	
Fan Kit #95-57010 170 CFM w/Rheostat	
Window Screen #95-57200 Enhances fire viewing & eliminates hearth pad requirement.	

317 Stafford Ave. Morrisville, VT 05661

(800) 827-8683

[Http://www.hearthstonestoves.com](http://www.hearthstonestoves.com)

Fax:(888) 347-8663



# Santa Fe Direct Vent

## Model 8761

- Large enough to heat small homes or room additions.
  - Maximum 35,000 BTUs per hour.
- May be vented vertically or horizontally (with 2' vertical rise) for flexible installation options.
- TEK log set and stainless steel burner for incredibly realistic flame picture.
- Variable flame height control with 50% pressure reduction for fire viewing pleasure when less heat is desired.
- Steel firebox, cast iron frame and stone panels give a range of deep colors and rich textures to suit all decors and styles.
- Cast iron double heat exchanger system delivers more heat to the room.
- Piezo ignition system for easy lighting.
- Millivolt operation does not need electricity in case of power outage.
- Comes with three-way on/off/thermostat switch and a wall-mounted thermostat with 40' of wire.
- HearthStone's limited *Lifetime Warranty* assures customer satisfaction for years to come.

### Specifications

Variable flame control with 50% reduction	Yes
Flue Exit & Diameter	4x6 5/8"
Wall thermostat included at No Charge	Yes
Optional Blower	Yes
Cast Iron Double Heat Exchanger	Yes
LP Conversion Kit included at No Charge	Yes
<b>Dimensions</b>	
Height	27"
Width	25"
Depth	19"
Actual Weight/Shipping Weight	205/235 pounds
<b>Performance</b>	
Heating Capacity:	Up to 1,800 Sq. Ft
Maximum Input:	35,000 BTUs
Steady State Efficiency:	83%
AFUE	72%
<b>Clearances</b>	
Side of stove to side wall	4"
Back of stove to back wall	2"
Corner of stove to side wall	2"
<b>Options</b>	
Matte Black, Blue/Black Enamel, Black Enamel, Brown Enamel, Seafoam Enamel	
On/Off Remote Control #90-56912	
Thermostatic Remote Control #90-56914	
Programmable Thermostat #90-56910	
Fan Kit #93-57010 170 CFM w/Rheostat	
Matching Vent Pipe Paint	

317 Stafford Ave. Morrisville, VT 05661

(800) 827-8683

[Http://www.hearthstonestoves.com](http://www.hearthstonestoves.com)

Fax:(888) 347-8663



# Santa Fe Vent-Free

## Model #8780

- Large enough to heat small homes or room additions.
  - Maximum 36,000 BTUs per hour.
- No venting required.
- Variable flame height control with 33% pressure reduction for fire viewing pleasure when less heat is desired.
- Steel firebox, cast iron frame and stone panels give a range of deep colors and rich textures to suit all decors and styles.
- Piezo ignition system for easy lighting.
- Millivolt operation does not need electricity in case of power outage.
- Comes with three-way on/off/thermostat switch and a wall-mounted thermostat with 40' of wire.
- HearthStone's limited *Lifetime Warranty* assures customer satisfaction for years to come.

### Specifications

Variable flame control with 33% reduction	Yes
Wall thermostat included at No Charge	Yes
Optional Blower	No
Cast Iron Double Heat Exchanger	No
LP Conversion Kit included at No Charge	No –must order for specific fuel choice
<b>Dimensions</b>	
Height	27"
Width	25"
Depth	14"
Actual Weight	200 pounds
Shipping Weight	211 pounds
<b>Performance</b>	
Heating Capacity:	Up to 1,800 Sq. Ft
Maximum Input:	36,000 BTUs
Steady State Efficiency:	99%
AFUE	N/A
<b>Clearances</b>	
Side of stove to side wall	4"
Back of stove to back wall	4"
Corner of stove to side wall	4"
Front of stove to back wall	18"
Corner of wall to front of stove	32"
<b>Options</b>	
Matte Black, Blue/Black Enamel, Black Enamel, Brown Enamel, Seafoam Enamel	
On/Off Remote Control #90-56912	
Thermostatic Remote Control #90-56914	
Programmable Thermostat #90-56910	

317 Stafford Ave. Morrisville, VT 05661

(800) 827-8683

[Http://www.hearthstonestoves.com](http://www.hearthstonestoves.com)

Fax:(888) 347-8663



# Champlain Direct Vent

## Model #8301

- Large enough to heat small homes or room additions.
  - Maximum 35,000 BTUs per hour.
- May be vented vertically or horizontally (with 2' vertical rise) for flexible installation options.
- TEK log set and stainless steel burner for incredibly realistic flame picture.
- Variable flame height control with 50% pressure reduction for fire viewing pleasure when less heat is desired.
- Classic cast iron design with easy-off front panel.
- Cast iron double heat exchanger system delivers more heat to the room.
- Piezo ignition system for easy lighting.
- Millivolt operation does not need electricity in case of power outage.
- Comes with three-way on/off/thermostat switch and a wall-mounted thermostat with 40' of wire.
- HearthStone's limited *Lifetime Warranty* assures customer satisfaction for years to come.

### Specifications

Variable flame control with 50% reduction	Yes
Flue Exit & Diameter	4x6 5/8"
Wall thermostat included at No Charge	Yes
Optional Blower	Yes
Cast Iron Double Heat Exchanger	Yes
LP Conversion Kit included at No Charge	Yes
<b>Dimensions</b>	
Height	27"
Width	26½"
Depth	20"
Actual Weight	220 pounds
Shipping Weight	283 pounds
<b>Performance</b>	
Heating Capacity:	Up to 1,800 Sq. Ft
Maximum Input:	35,000 BTUs
Steady State Efficiency/AFUE:	83%/72%
<b>Clearances</b>	
Side of stove to side wall	4"
Back of stove to back wall	2"
Corner of stove to side wall	2"
Front of stove to back wall	22"
Corner of wall to front of stove	36"
<b>Options</b>	
Matte Black, Blue/Black Enamel, Black Enamel, Brown Enamel	
On/Off Remote Control #90-56912	
Thermostatic Remote Control #90-56914	
Programmable Thermostat #90-56910	
Fan Kit #93-57010 170 CFM w/Rheostat	
Matching Vent Pipe Paint	

317 Stafford Ave. Morrisville, VT 05661

(800) 827-8683

[Http://www.hearthstonestoves.com](http://www.hearthstonestoves.com)

Fax:(888) 347-8663



# Tucson Direct Vent

## Model 8701

- Large enough to heat large areas or room additions.
  - Maximum 26,000 BTUs per hour.
- May be vented vertically or horizontally (with 9” vertical rise) for flexible installation options.
- TEK log set and stainless steel burner for incredibly realistic flame picture.
- Variable flame height control with 50% pressure reduction for fire viewing pleasure when less heat is desired.
- Steel firebox, cast iron frame and stone panels give a range of deep colors and rich textures to suit all decors and styles.
- Cast iron double heat exchanger system delivers more heat to the room.
- Piezo ignition system for easy lighting.
- Millivolt operation does not need electricity in case of power outage.
- Comes with three-way on/off/thermostat switch and a wall-mounted thermostat with 40’ of wire.
- HearthStone’s limited *Lifetime Warranty* assures customer satisfaction for years to come.

### Specifications

Variable flame control with 50% reduction	Yes
Flue Exit & Diameter	4x6 5/8”
Wall thermostat included at No Charge	Yes
Optional Blower	Yes
Cast Iron Double Heat Exchanger	Yes
LP Conversion Kit included at No Charge	Yes
<b>Dimensions</b>	
Height	25”
Width	21“
Depth	14“
Actual Weight/Shipping Weight	155/186 pounds
<b>Performance</b>	
Heating Capacity:	Up to 1,200 Sq. Ft
Maximum Input:	26,000 BTUs
Steady State Efficiency/AFUE:	82.5%/71%
<b>Clearances</b>	
Side of stove to side wall	2”
Back of stove to back wall	3”
Corner of stove to side wall	2”
Front of stove to back wall	16”
Corner of wall to front of stove	27”
<b>Options</b>	
Matte Black, Blue/Black Enamel, Black Enamel, Brown Enamel, Almond Enamel, Seafoam Enamel	
On/Off Remote Control #90-56912	
Thermostatic Remote Control #90-56914	
Programmable Thermostat #90-56910	
Fan Kit #93-57010170 CFM w/Rheostat	
Matching Vent Pipe Paint	

317 Stafford Ave. Morrisville, VT 05661

(800) 827-8683

[Http://www.hearthstonestoves.com](http://www.hearthstonestoves.com)

Fax:(888) 347-8663



# Tucson B-Vent

## Model 8720

- Large enough to heat large areas or room additions.
  - Maximum 26,000 BTUs per hour.
- Top or rear vent for flexible installation options.
- Variable flame height control with 50% pressure reduction for fire viewing pleasure when less heat is desired.
- Steel firebox, cast iron frame and stone panels give a range of deep colors and rich textures to suit all decors and styles.
- Cast iron double heat exchanger system delivers more heat to the room.
- Piezo ignition system for easy lighting.
- Millivolt operation does not need electricity in case of power outage.
- Comes with three-way on/off/thermostat switch and a wall-mounted thermostat with 40' of wire.
- HearthStone's limited *Lifetime Warranty* assures customer satisfaction for years to come.

### Specifications

Variable flame control with 50% reduction	Yes
Flue Exit & Diameter	Top or Rear 4" B-Vent
Wall thermostat included at No Charge	Yes
Optional Blower	Yes
Cast Iron Double Heat Exchanger	Yes
LP Conversion Kit included at No Charge	Yes
<b>Dimensions</b>	
Height	25"
Width	21"
Depth	16"
Actual Weight/Shipping Weight	155/198 pounds
<b>Performance</b>	
Heating Capacity:	Up to 1,200 Sq. Ft
Maximum Input:	26,000 BTUs
Steady State Efficiency:	83%
AFUE	74%
<b>Clearances</b>	
Side of stove to side wall	2"
Back of stove to back wall	2"
Corner of stove to side wall	2"
Front of stove to back wall	16"
Corner of wall to front of stove	29"
<b>Options</b>	
Matte Black, Blue/Black Enamel, Black Enamel, Brown Enamel, Almond Enamel, Seafoam Enamel	
On/Off Remote Control #90-56912	
Thermostatic Remote Control #90-56914	
Programmable Thermostat #90-56910	
Fan Kit #93-57010170 CFM w/Rheostat	
Matching Vent Pipe Paint	

317 Stafford Ave. Morrisville, VT 05661

(800) 827-8683

[Http://www.hearthstonestoves.com](http://www.hearthstonestoves.com)

Fax:(888) 347-8663



# Tucson Vent-Free

## Model #8745

- Large enough to heat a particular area or room additions.
  - Maximum 20,000 BTUs per hour.
- Vent-Free technology for easy installation
- Variable flame height control with 33% pressure reduction for fire viewing pleasure when less heat is desired.
- Steel firebox, cast iron frame and stone panels give a range of deep colors and rich textures to suit all decors and styles.
- Oxygen Depletion Sensor monitors room oxygen levels, shuts unit off if necessary.
- Piezo ignition system for easy lighting.
- Millivolt operation does not need electricity in case of power outage.
- Comes with three-way on/off/thermostat switch and a wall-mounted thermostat with 40' of wire.
- HearthStone's limited *Lifetime Warranty* assures customer satisfaction for years to come.

### Specifications

Variable flame control with 33% reduction	Yes
Flue Exit & Diameter	N/A
Wall thermostat included at No Charge	Yes
Optional Blower	No
Cast Iron Double Heat Exchanger	No
LP Conversion Kit included at No Charge	No –must order for specific fuel choice
<b>Dimensions</b>	
Height	25"
Width	21"
Depth	16"
Actual Weight/Shipping Weight	155/175 pounds
<b>Performance</b>	
Heating Capacity:	Up to 1,200 Sq. Ft
Maximum Input:	20,000 BTUs
Steady State Efficiency:	99%
AFUE	N/A
<b>Clearances</b>	
Side of stove to side wall	2"
Back of stove to back wall	2"
Corner of stove to side wall	2"
Front of stove to back wall	16"
Corner of wall to front of stove	29"
<b>Options</b>	
Matte Black, Blue/Black Enamel, Black Enamel, Brown Enamel, Almond Enamel, Seafoam Enamel	
Catalytic Conversion Kit #97-75450	
On/Off Remote Control #90-56912	
Thermostatic Remote Control #90-56914	
Programmable Thermostat #90-56910	

317 Stafford Ave. Morrisville, VT 05661

(800) 827-8683

[Http://www.hearthstoves.com](http://www.hearthstoves.com)

Fax:(888) 347-8663



# Stowe Direct Vent

## Model #8321

- Large enough to heat large areas or room additions.
  - Maximum 26,000 BTUs per hour.
- May be vented vertically or horizontally (with 9” vertical rise) for flexible installation options.
- TEK log set and stainless steel burner for incredibly realistic flame picture.
- Variable flame height control with 50% pressure reduction for fire viewing pleasure when less heat is desired.
- Classic cast iron design with easy-off front panel.
- Cast iron double heat exchanger system delivers more heat to the room.
- Piezo ignition system for easy lighting.
- Millivolt operation does not need electricity in case of power outage.
- Comes with three-way on/off/thermostat switch and a wall-mounted thermostat with 40’ of wire.
- HearthStone’s limited *Lifetime Warranty* assures customer satisfaction for years to come.

### **Specifications**

Variable flame control with 50% reduction	Yes
Flue Exit & Diameter	4x6 5/8”
Wall thermostat included at No Charge	Yes
Optional Blower	Yes
Cast Iron Double Heat Exchanger	Yes
LP Conversion Kit included at No Charge	Yes
<b>Dimensions</b>	
Height	26”
Width	22“
Depth	14“
Actual Weight	160 pounds
Shipping Weight	240 pounds
<b>Performance</b>	
Heating Capacity:	Up to 1,200 Sq. Ft
Maximum Input:	26,000 BTUs
Steady State Efficiency/AFUE:	82.5%/71%
<b>Clearances</b>	
Side of stove to side wall	2”
Back of stove to back wall	3”
Corner of stove to side wall	2”
Front of stove to back wall	16”
Corner of wall to front of stove	29”
<b>Options</b>	
Matte Black, Blue/Black Enamel, Black Enamel, Brown Enamel, Almond Enamel	
On/Off Remote Control #90-56912	
Thermostatic Remote Control #90-56914	
Programmable Thermostat #90-56910	
Fan Kit #93-57010 170 CFM w/Rheostat	
Matching Vent Pipe Paint	

317 Stafford Ave. Morrisville, VT 05661

(800) 827-8683

[Http://www.hearthstonestoves.com](http://www.hearthstonestoves.com)

Fax:(888) 347-8663



# Tudor Direct Vent

## Model #8120

- Large enough to heat small areas or room additions.
  - Maximum 12,000 BTUs per hour.
- Variable flame height control with 30% pressure reduction for fire viewing pleasure when less heat is desired.
- TEK burner and log set for incredibly realistic flame picture.
- Steel firebox, cast iron frame with stone or cast iron panels give a range of deep colors and rich textures to suit any décor and styles.
- Uses standard 6x6” ceramic tiles for custom installations.
- Cast iron double heat exchanger system delivers more heat to the room.
- Piezo ignition system for easy lighting.
- Millivolt operation does not need electricity in case of power outage.
- Comes with three-way on/off/thermostat switch and a wall-mounted thermostat with 40’ of wire.
- HearthStone’s limited *Lifetime Warranty* assures customer satisfaction for years to come.

### Specifications

Variable flame control with 30% reduction	Yes
Flue Exit & Diameter	4x6 5/8”
Wall thermostat included at No Charge	Yes
Optional Blower	No
Cast Iron Double Heat Exchanger	Yes
LP Conversion Kit included at No Charge	Yes
<b>Dimensions</b>	
Height	31”
Width	16“
Depth	12“
Actual Weight/Shipping Weight	175/225 pounds
<b>Performance</b>	
Heating Capacity:	Up to 600 Sq. Ft
Input:	6,600 to 12,000 BTUs
Steady State Efficiency/AFUE:	82%/70%
<b>Clearances</b>	
Side of stove to side wall	8”
Back of stove to back wall	0”
Corner of stove to side wall	1”
Floor to center of flue	29”
Corner of wall to front of stove	21”
<b>Options</b>	
Matte Black, Blue/Black Enamel, Brown Enamel, Caramel Enamel	
Soapstone or Autumn Brown Granite Panels	
Solid Cast Panels or Cast Panels with Door Grills	
On/Off Remote Control #90-56912	
Thermostatic Remote Control #90-56914	
Programmable Thermostat #90-56910	

317 Stafford Ave. Morrisville, VT 05661

(800) 827-8683

[Http://www.hearthstoves.com](http://www.hearthstoves.com)

Fax:(888) 347-8663



# New Tribute Direct Vent

## Model #8050

- Large enough to heat a particular area or room additions.
  - Maximum 18,000 BTUs per hour.
- TEK Burner & FireLog set for incredibly realistic flame picture.
- Variable flame height control with 50% pressure reduction for fire viewing pleasure when less heat is desired.
- Steel firebox, cast iron frame and stone panels give a range of deep colors and rich textures to suit all decors and styles.
- Optional rear stone panels kit for 360° beauty.
- Piezo ignition system for easy lighting.
- Optional window screen makes the glass “disappear.”
- Millivolt operation does not need electricity in case of power outage.
- Comes with three-way on/off/thermostat switch and a wall-mounted thermostat with 40’ of wire.
- HearthStone’s limited *Lifetime Warranty* assures customer satisfaction for years to come.

### Specifications

Variable flame control with 50% reduction	Yes
Flue Exit & Diameter	4x6-5/8”
Wall thermostat included at No Charge	Yes
Optional Blower	Yes
Cast Iron Double Heat Exchanger	Yes
LP Conversion Kit included at No Charge	Yes
<b>Dimensions</b>	
Height	24-1/8”
Width	23-7/8”
Depth	18”
Actual Weight/Shipping Weight	185/210 pounds
<b>Performance</b>	
Heating Capacity:	Up to 900 Sq. Ft
Maximum Input:	18,000 BTUs
Steady State Efficiency:	70-82%
AFUE	73.1%
<b>Clearances</b>	
Side of stove to side wall	2”
Back of stove to back wall	1-1/2”
Corner of stove to side wall	2”
Front of stove to back wall	20”
Corner of wall to front of stove	33”
<b>Options</b>	
Matte Black, Blue/Black Enamel, Black Enamel, Brown Enamel, Seafoam Enamel	
<b>Stove Stone Sets:</b> Polished Soapstone, Aztec Green Marble, Autumn Brown Granite	
<b>Optional Rear Stone Sets:</b> Polished Grey Soapstone, Aztec Green Marble, Autumn Brown Granite	
Fan Kit #90-57501 170 CFM w/Rheostat	
Window Screen # 90-69500	
Matching Vent Pipe Paint	
Programmable Thermostat #90-56910	

317 Stafford Ave. Morrisville, VT 05661

(800) 827-8683

[Http://www.hearthstonestoves.com](http://www.hearthstonestoves.com)

Fax:(888) 347-8663



# DVI-Ht Direct Vent Insert

## With Killington Façade

### Model #8890

- Large enough to heat large areas or additions.
  - Maximum 33,000 BTUs per hour.
- Large and small surround available to fit most any fireplace.
- TEK burner and log set for incredibly realistic flame picture.
- Direct-vent combustion system draws all combustion air from outside the home.
- Variable flame height control with up to 70% pressure reduction for fire viewing pleasure when less heat is desired.
- Classic cast iron design with easy-off front façade.
- Cast iron double heat exchanger system delivers more heat to the room.
- Battery operated “One-touch” Piezo ignition system for easy lighting.
- Millivolt operation does not need electricity in case of power outage.
- Comes with three-way on/off/thermostat switch and a wall-mounted thermostat with 40’ of wire.
- HearthStone’s limited *Lifetime Warranty* assures customer satisfaction for years to come.

#### Specifications

Variable flame control up to 70% reduction	Yes
Flue exit & diameter	2-3” co-lineal
Wall thermostat included at no charge	Yes
Blower	Yes-included
Minimum Fireplace Opening	16½” D, 20” H, 22” W (back) 28½” W (front)
Small Surround Size	27½” H, 38” W
Large Surround Size	31¾” H, 44” W
<b>Dimensions</b>	
Height	19½”
Width	27¾”
Depth	16”
Actual Weight	165 pounds
Shipping Weight	200 pounds
<b>Performance</b>	
Heating Capacity:	Up to 1,500 Sq. Ft
Maximum Input:	33,000 BTUs
Steady State Efficiency:	83%
AFUE	74%
<b>Clearances</b>	
Side of stove to side wall	8”
Top of stove to 1” mantle or trim	13”
Top of stove to 7.5” mantle	15”
<b>Options</b>	
Matte Black, Blue/Black Enamel, Brown Enamel	
Window Screen #98-69700 Enhances flame, glass “disappears” from view.	
On/Off Remote Control #90-56912	
Thermostatic Remote Control #90-56914	
Programmable Thermostat #90-56910	

317 Stafford Ave. Morrisville, VT 05661

(800) 827-8683

[Http://www.hearthstonestoves.com](http://www.hearthstonestoves.com)

Fax:(888) 347-8663